

extended rotary handle, ComPact NSX 100/160/250, black handle, shaft length 185 to 600 mm, IP55

LV429338

! Discontinued on: 2 May 2023



Main

Range of product	EasyPact CVS100250	
Product or component type	Rotary handle	
Range compatibility	EasyPact CVS100250	
Accessory / separate part type	Control accessories	
Handle colour	Black	
Handle front plate colour	Black	
Rotary handle mounting style	Extended	

Complementary

Range compatibility	Compact NS < 630A
Rotary handle padlocking	Padlock in OFF position 1 to 3 padlocks
Rotary handle mounting location	Front

Environment

IP degree of protection	IP55	
ii degree or protection	IF 00	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.700 cm
Package 1 Width	10.700 cm
Package 1 Length	49.100 cm
Package 1 Weight	728.000 g
Unit Type of Package 2	S04
Number of Units in Package 2	6
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	5.500 kg
Unit Type of Package 3	P12

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Number of Units in Package 3	72
Package 3 Height	90.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	67.417 kg

Contractual warranty

Warranty (in months)

18



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint		
Total lifecycle Carbon footprint	6	

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	Bd8035a3-0d10-40bd-a7d4-94c8c5f694a9
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture		
Take-back	No	